



The Specification (V1.0) for CP5





skEYEwatch, Inc.

Date: 11th December 2023



Contents

1.	Product Overview	2
2.	Product Features	2
3.	Product Specifications	2
4.	Dimension Figure	3



1. Product Overview

CP5 is a control panel used for bus intelligent dispatch system. Adopted with 18 buttons, 10.1 inches large screen display, it also integrates with features reversing monitor and driver swipe card etc.. It is widely applied to domestic and overseas bus systems for its easy installation, powerful features and convenient operation.

2. Product Features

- 10.1 inches control panel
- 18 buttons and support customized business
- Supports live view monitering
- Support intercom
- Support voice Broadcast
- Support drivers swpe card

3. Product Specifications




	Items	Property	
	Size	10.1 inch	
	Resolution	1024*600	
Display	Touch screen	Capacitive screen	
specifications	Brightness	450cd/m²	
P • • • • • • • • • • • • • • • • • • •	Contrast	800:1	
	Viewing angle	70/70/50/70 (typical) (left/right/up/down)	
	Speaker	Built-in 3W/4Ω	
		1 channel VGA input	
	Video Input	1 channel AHD input	
		1 channel CVBS input	
		Supports external keyboard	
Interface	Keyboard	Supports non-contact 13.56MHz IC card	
		(M1/CPU card)	
	MIC	External megaphone	
	I/O	1 channel signal input of reversing	
	Operating voltage	DC 12V	
	Power consumption	7W	
Operating conditions	Dimensions	258(L)*162(W)*43(H)mm (Without bracket)	
	Storage temperature	-30°C-80°C	
	Operating temperature	-30°C-70°C	


4. Dimension Figure

(The unit: mm)			
	2		



Touch panel (CP5)





External Keyboard

